VECHEK™



Feline Herpesvirus (FHV) & Feline Calicivirus (FCV)

Cause the vast majority of URIs in cats

√ Easy specimen collection
√ Fast results in 5-10 minutes
√ Simple visually interpretation
√ Convenient operation
√ High accuracy

FHV Antigen Rapid Test Cassette

Cat. No.: VIFH-502

Specimen: Conjunctiva fluid (Eye secretion)

Reading Time: 5 Minutes

Feline herpesvirus (FHV) is a highly contagious virus that is one of the major causes of upper respiratory infections (URIs) or cat flu in cats.

This virus is ubiquitous and causes disease in cats all over the world.



FCV Antigen Rapid Test Cassette

Cat. No.: VIFC-502

Specimen: Ocular secretion / Nasal secretion

Reading Time: 5-10 Minutes

Feline calicivirus (FCV) is a highly contagious virus that causes a mild to severe respiratory infection and oral disease in cats. It is especially common in shelters and breeding colonies, and often infects young cats.



FHV+ FCV Antigen Combo Rapid Test Cassette



Cat.No. : VIFHC-525

Specimen : Ocular secretion
Nasal secretion

Reading time : 5 minutes

For Veterinary Use

Hangzhou AllTest Biotech Co.,Ltd.

+86-571-56267891 www.alltests.com.cn info@alltests.com.cn No. 550, Yinhai Street, Hangzhou Economy and Technology Development Area, Hangzhou P.R. China

Hangzhou AllTest Biotech Co.,Ltd.

VECHEK™

Leptospira IgG/IgM Rapid Test Cassette

Easy Screening Test for Common Diseases

Leptospirosis is a zoonotic disease caused by infection with any of several pathogenic serovars of Leptospira. The disease affects virtually all mammals and has a broad range of clinical effects, from mild, subclinical infection to multiple-organ failure and death. Leptospira are maintained in nature through chronic renal infection of carrier animals—commonly rats, dogs, cattle, horses, sheep, goats, and pigs.





Simple operation

Easy visual interpretation

Fast results in 15 minutes

High accuracy

Ordering Information

Cat. No.	Product	Specimen	Format	Pack
VILEP-402	Leptospira IgG/IgM Ab Rapid Test	WB/S/P	Cassette	10 T

+86-571-56267891 www.alltests.com.cn info@alltests.com.cn No. 383, Qiaoxin Road, Xiasha Street, Qiantang District, Hangzhou, Zhejiang, P.R.China

VECHEK™

Testing for Feline Gastrointestinal Disease ! Feline Corona virus (FCoV) Rapid Test Cassette



For Veterinary Use

- ✓ Fast results in 5-10 minutes
- ✓ Easy visual interpretation
- ✓ Simple operation
- ✓ High accuracy

VIFCO-302



Cat.No. : VIFCO-302
Specimen : Serum/Ascites/Hydrothorax

VIFCO-602



Cat.No. : VIFCO-602
Specimen : Feces

- FCoV is a highly common virus in domestic cat populations around the world (affecting even large cats in zoos).
- Infection is often subclinical or characterized by a transient gastrointestinal illness, including mild diarrhea and/or vomiting in kittens and newly infected adult cats.
- About 13% of cats exposed to FCoV become lifelong carriers, and continually shed virus in their feces.

Ordering Information

Cat. No.	Product	Specimen
VIFCO-302	Feline Corona virus (FCoV) Ab	Serum/Ascites/Hydrothorax
VIFCO-602	FCoV Ag	Feces
VIFF-625	FCoV+ Feline Panleucopenia Virus (FPV) Ag Combo	Feces
VIFFG-635	FCoV+FPV+Giardia Lamblia Ag Combo	Feces

(Pack: 10 T/Format: Cassette)

Hangzhou AllTest Biotech Co.,Ltd.

+86-571-56267891 www.alltests.com.cn info@alltests.com.cn No. 550, Yinhai Street, Hangzhou Economy and Technology Development Area, Hangzhou P.R. China


VECHEK™

For Veterinary Use

Feline Panleucopenia Virus (FPV) Antigen Rapid Test



Feline panleukopenia virus (FPV) is known to infect all wild and domestic members of the felid (cat) family worldwide. It is a highly contagious, severe infection that causes gastrointestinal, immune system, and nervous system disease. Its primary effect is to decrease the number of white blood cells, causing the disease known as feline panleukopenia.The feline panleukopenia virus is considered ubiquitous, meaning it is in virtually every place that is not regularly disinfected. The infection is highly contagious among unvaccinated cats.



FPV Antigen Rapid Test Cassette

Cat. No.: VIFP-602
Specimen: Feces/Vomit
Reading Time: 10 Minutes

- √ *Easy specimen collection*
- √ *Fast results in 10 minutes assay time*
- √ *Easy visual interpretation*
- √ *Simple operation, no equipment required*
- √ *High accuracy*



Hangzhou AllTest Biotech Co.,Ltd.

+86-571-56267891 www.alltests.com.cn info@alltests.com.cn No. 550, Yinhai Street, Hangzhou Economy and Technology Development Area, Hangzhou P.R. China

Hangzhou AllTest Biotech Co.,Ltd.

VECHEK™

Peste des Petits Ruminants Antibody (PPR Ab) Rapid Test Cassette

Easy Screening Test for Diarrheal Disease in Sheep

Peste des Petits Ruminants (PPR), also known as sheep and goat plague, is a highly contagious viral disease affecting small ruminants such as sheep and goats. It is caused by the PPR virus, a member of the Morbillivirus genus, closely related to the rinderpest virus. PPR spreads through direct or indirect contact, primarily via the respiratory route. Symptoms include fever, oral lesions, diarrhea, and pneumonia, often leading to high mortality rates, particularly in young animals. Control measures involve vaccination, biosecurity, and proper management practices to prevent outbreaks.





Simple operation

Easy visual interpretation

Fast results in 10 minutes

High accuracy

Ordering Information

Cat. No.	Product	Specimen	Format	Pack
VIPPR-402	Peste des Petits Ruminants Antibody (PPR Ab) Rapid Test	WB/S/P	Cassette	10 T

+86-571-56267891 www.alltests.com.cn info@alltests.com.cn No. 550, Yinhai Street, Hangzhou Economic and Technological Development Area, Hangzhou P.R. China

Hangzhou AllTest Biotech Co.,Ltd.

VECHEK™

Feline Relaxin (RLN) Rapid Test

Easy Screening Test for Early Pregnancy in Feline

Relaxin has many and diverse physiological roles, but is perhaps best characterized as a hormone of pregnancy. In feline's serum, an increase in relaxin was detected 21 to 25 days after mating. Thereafter, concentrations peaked 35 to 49 days before declining about 2 weeks before parturition (gestation length approximately 63 days or 9 weeks).





Simple operation ***Easy visual interpretation*** ***Fast results in 10 minutes*** ***High accuracy***

Ordering Information

Cat. No.	Product	Specimen	Format	Pack
VIFRLN-302	Feline RLN Combo Rapid Test	S/P	Cassette	10 T

+86-571-56267891 www.alltests.com.cn info@alltests.com.cn No. 383, Qiaoxin Road, Xiasha Street, Qiantang District, Hangzhou, Zhejiang, P.R.China



Giardia Lamblia Rapid Test

A Common Enteric Parasite of Domestic Animals



For Veterinary Use

- Giardia lamblia is a very common enteric parasite of domestic animals, including livestock, dogs, cats, and wildlife.
- In dogs and cats, infection with Giardia is usually asymptomatic. Some pets will, however, develop persistent diarrhea. There is usually no blood in the stool.
- Chief pathways of infection include ingestion of untreated drinking water (which is the most common method of transmission for this parasite), food, and soil contaminated with feces, as well as ingestion of sewage.
- A trophozoite is a form that Giardia lamblia presents during its life cycle, which survives only in host small intestines.

√ Fast results in 5-10 minutes

√ Easy visual interpretation

√ Simple operation

√ High accuracy

Cat. No.	VIGA-602
Specimen	Feces
Pack	10 T
Format	Cassette





+86-571-56267891 www.alltests.com.cn info@alltests.com.cn

No. 550, Yinhai Street, Hangzhou Economy and Technology Development Area, Hangzhou P.R. China

VECHEK™

Hangzhou AllTest Biotech Co.,Ltd.